

Screens » Desking Screens



Collections: Mallee


Applications: Desk Accessories (Dividers & Screens)




























Screens » Desking Screens

Mallee Desking Screen is the flexible, high-design and acoustically minded screen, that's ideal when you can't sacrifice aesthetics for privacy.

✓ Quick Ship✓ Easy Install✓ Easy Clean✓ Acoustic

Description

The Mallee Desking Screen is the flexible, high-design option when you aren't willing to sacrifice form or function.

The hidden hardware helps the aesthetics and accommodates different worksurface thicknesses, while the kerf cut gives a tight fit on rounded corners. Configuration is made easy with the C and L-shapes designs available in a range of 47"-72" widths, 24" to 30" heights, 24 PET colors and 4 wood prints.

Manufactured in the USA, the Mallee Desking Screen ships quickly, comes flat packed and is simple to assemble.

func., Mallee Desking Screens are easily cleaned with bleach and water.

Composition

Density 0.5 lb/ft² 2.4 kg /m²

PET Colours

Standard Finishes:

30 Solid Colors: Bark, Brick, Cadet, Chambray, Cobalt, Ecru, Elderberry, Fossil, Frost, Grass, Greige, Ivory, Linen, Malachite, Mandarin, Meadow, Midnight, Ochre, Olive, Parchment, Pebble, Pewter, Saffron, Sky, Slate, Smoke, Storm, Sunshine, Tar, Twilight.

4 Timber Prints: Eucalyptus, Iron bark, Merbau, Spotted Gum.

Premium Finishes:

12 Premium Wood Prints: Australian Walnut, Cherry, Claro Walnut, Euro Beech, Knotty Pine, Lace Wood, Maple, Palm Wood, Poplar, Redwood, Rustic Walnut, White Oak.

18 Premium Material Prints: Concrete Cast, Concrete Polished, Concrete Dark Tint, Raku Bone, Raku Luster, Raku Jade, Shale Light, Shale Medium, Shale Dark, Terracotta Sun Bleached, Terracotta Mission, Terracotta Antique, Terrazzo Light, Terrazzo Medium, Terrazzo Dark, Travertine Light, Travertine Medium, Travertine Dark.



Screens » Desking Screens

Material

- 60% post-consumer recycled PET bottles.
- 35% pre-consumer recycled content from PET chips
- 5% bio-based Polylactic Acid (PLA)

Accessories: Steel + PET insert/liner with powder coat finish

Powder Coat

White ONLY

Dimensions

Width:

- 47.2" (1200mm)
- 48" (1220mm)
- 55.1" (1401mm)
- 60" (1524mm)
- 63" (1601mm)
- 70.9" (1801mm)
- 72" (1829mm)

Height:

- 15.75" (400mm)
- 23.75" (604mm)
- 32.28" (820mm)

Depth:

- 24" (610mm)
- 30" (762mm)

Fire Rating

ASTM-E84 – Class A classification

AS ISO 9705 - 2003 - Group 1 classification

EN-13501 - B-s2-d0 classification



Made In	USA
Lead Time	4 weeks
Inclusions	Desk Brackets, PET panel
Assembly & Delivery	Flat pack delivery, minimal assembly required. See installation instructions for detail.
Care Instructions	Dab func. with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.
	For difficult stains, use a solution of household bleach (10% bleach / 90% water).
	To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.
Warranty	5-year warranty.
Additional Comments	To see how vivid the colors truly are, it's easy to request a sample through the "Request information" button on this page, or you can ask for one from your local sales guru.
How to Specify	Select 1 x PET Color
	White Powder Coat Finish Only
	Select 1 x Wood Finish
	Select Bracket - C-Clamp OR Blind Mount
	Select Configuration L-Share or C-Shape
	Refer Product Specification Guide



Screens » Desking Screens

Colour & Finish Options

func solid colors





Screens » Desking Screens



func timber print



func premium material



Screens » Desking Screens



func premium wood

