
Walls » Mobile Walls



Collections: Cooee



Walls » Mobile Walls









Walls » Mobile Walls

Cooee Monitor Wall - your new mobile video conferencing room, complete with 110V, USB-A and USB-C Power units. Share screens and manage acoustics.

✓ Absorbs Noise	Easy Install	Easy Clean	
✓ Bleach Cleanable	✓ Acoustic		
Description	Welcome to your new mobile video conferencing room.		
	The Cooee Monitor Wall adds 110V, USB-A and USB-C Power units and does what it says on the box. It's easy to plug in, attach a camera, and add a VESA mount for anything up to a 50" monitor. The sound absorbing material and acoustic membrane really help reduce annoying ambient noise.		
	even more important. Superior sustainable, sound absorbing	emote meetings, makes managing acoustics r noise reduction is achieved when the PET converting sound energy into heat. It's th can't help sharing their screen.	
	func., Cooee Walls are easily cleaned with bleach and water.		
Composition	Density 0.5 lb/ft² 2.4 kg /m²		
PET Colours	Refer Color + Finishes		
Material	60% post-consumer recycled PET bottles.		
	35% pre-consumer recycled content from PET chips		
	• 5% bio-based Polylactic Acid (PLA)		
	Accessories: Steel + PET insert/liner with powder coat finish		
Powder Coat	Anodized Silver, Bengal White, Denim, Fern, Gunmetal, LT Grey, Marigold, Matte Black, Spice, Tango, Teal, Terracotta		
Dimensions	47.5" (1207mm) w x 78.5" (1994mm) h x 15" (380mm) d		
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification		



Walls » Mobile Walls

Made In	USA	
Lead Time	6-8 weeks	
Inclusions	Mobile wall with 2 cups, 2 hooks, 2 power units (110V + USB-A and USB-C)	
Assembly & Delivery	Flat pack delivery, minimal assembly required.  See installation instructions for detail.	
Care Instructions	Dab func. with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.	
	For difficult stains, use a solution of household bleach (10% bleach / 90% water).	
	To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.	
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.	
Warranty	5-year warranty.	
Additional Comments	To see how vivid the colors truly are, it's easy to request a sample through the "Request information" button on this page, or you can ask for one from your local sales guru	
How to Specify	Select 1 x PET Color	
	Select 1 x Powder Coat Finish	
	Refer Product Specification Guide	



Walls » Mobile Walls

### **Colour & Finish Options**

#### func solid colors





Walls » Mobile Walls




#### func timber print




#### func premium material



Walls » Mobile Walls



#### func premium wood



Walls » Mobile Walls

#### func textile braid



#### func textile burlap





Walls » Mobile Walls



#### func textile herring





Walls » Mobile Walls







Walls » Mobile Walls



#### func powdercoat



