
Walls » Fixed Walls




Collections: Cooee


Applications: Walls



Walls » Fixed Walls









Walls » Fixed Walls

Cooee Fixed Wall - the odd wall out but still fun and funky, just not so mobile. Turn a boring old wall into a feature wall with loads of function.

Easy InstallAcoustic	✓ Easy Clean
The lightweight design makes it easy to mount onto existing walls with four simple Z clips. It means you can turn a boring old wall into a func.y feature wall with a bucket load of function.	
It shares the same lightweight frame as the mobile walls, to increase mounting locations, while superior noise reduction is achieved when the sustainable, sound absorbing PET converts sound energy into heat. Adding wall accessories is the perfect way to personalize and add storage to an existing room.	
It adds form and function to e wall.	xisting spaces that may not need a mobile
func., Cooee Walls are easily o	cleaned with bleach and water.
Density 0.5 lb/ft² 2.4 kg /m²	
Refer Color + Finishes	
• 60% post-consumer recycl	ed PET bottles.
• 35% pre-consumer recycle	d content from PET chips
• 5% bio-based Polylactic Ad	eid (PLA)
Accessories: Steel + PET insert	/liner with powder coat finish
Refer Color + Finishes	
47.5" (1207mm) w x 78.5" (199	4mm) h x 15" (380mm) d
AS ISO 9705 – 2003 – Group 1	classification
	The lightweight design makes simple Z clips. It means you cowall with a bucket load of fund It shares the same lightweigh mounting locations, while supsustainable, sound absorbing wall accessories is the perfect existing room. It adds form and function to ewall. func., Cooee Walls are easily of Density 0.5 lb/ft² 2.4 kg/m² Refer Color + Finishes • 60% post-consumer recycle • 35% pre-consumer recycle • 5% bio-based Polylactic Addacessories: Steel + PET insert



Walls » Fixed Walls

Made In	USA
Lead Time	6-8 weeks
Inclusions	Fixed wall with 2 hooks and 4x z-clips (split battens) for mounting
Assembly & Delivery	Flat pack delivery, minimal assembly required. See installation instructions for detail.
Care Instructions	Dab func. with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.
	For difficult stains, use a solution of household bleach (10% bleach / 90% water).
	To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.
Warranty	5-year warranty.
Additional Comments	To see how vivid the colors truly are, it's easy to request a sample through the "Request information" button on this page, or you can ask for one from your local sales guru.
How to Specify	Select 1 x PET Color
	 Select 1 x Powder Coat Finish Refer Product Specification Guide



Walls » Fixed Walls

Colour & Finish Options

func solid colors





Walls » Fixed Walls




func timber print




func premium material



Walls » Fixed Walls



func premium wood



Walls » Fixed Walls

func textile braid



func textile burlap





Walls » Fixed Walls




func textile herring





Walls » Fixed Walls







Walls » Fixed Walls



func powdercoat



