Screens » Desking Screens



Collections: Cooee

Applications: Desk Accessories (Dividers & Screens)





Cooee Desking Screen With Desking Divers



Cooee Desking Screen



Cooee Desking Screen with C-Clamps



Cooee Desking Screen Back



Screens » Desking Screens





Cooee Desking Screen With Desking Wings

Cooee Desking Screen



Screens » Desking Screens

Cooee Desking Screen - Style, functionality, and acoustic mastery all rolled into one. Reclaim your desking and benching space.

✓ Absorbs Noise	✓ Acoustic	✓ Bleach Cleanable
✓ Easy Clean ✓ Easy Install		
Description	Step into a realm of creative possibility with the Cooee Desking Screen. Beyond a mere divider; it's a screen and modesty combo, a blank canvas ready for personalization. Crafted from three layers of sound absorbing PET, create your oasis of calm amid chaos.	
	The state of the s	Cooee integrated Tool Rail, the Cooee collection ccessories, adding versatility and flexibility
	non-destructive C-Clamps o	ect to a variety of desk thicknesses using our and easily switch from one desk to another. Say a the innovative flex section providing seamless
	Add even more functionality and performance with the seamless addition of Cooee Desk Dividers or installation of a Cooee Hood or Visor. Add a touch of personalization with our range of vibrant accessories which are available in eye-popping powder coat colors.	
	Choose from 7 sizes and cred	ate a workspace that's as dynamic as you.
	Vertical workspace never loo	ked so good!
Composition	Density 0.5 lb/ft² 2.4 kg /m²	
PET Colours	Refer to Color + Finish	
Material	 60% post-consumer recyc 	eled PET bottles.
	• 35% pre-consumer recycl	ed content from PET chips
	• 5% bio-based Polylactic A	cid (PLA)
	Accessories: Steel + PET inser	t/liner with powder coat finish
Powder Coat	Refer to Color + Finish	



Dimensions	41" (1041mm) w x 30" (762mm) h x 1.5" (38mm) d	
	42" (1067mm) w x 30" (762mm) h x 1.5" (38mm) d	
	49" (1245mm) w x 30" (762mm) h x 1.5" (38mm) d	
	54" (1372mm) w x 30" (762mm) h x 1.5" (38mm) d	
	57" (1448mm) w x 30" (762mm) h x 1.5" (38mm) d	
	65" (1651mm) w x 30" (762mm) h x 1.5" (38mm) d	
	66" (1676mm) w x 30" (762mm) h x 1.5" (38mm) d	
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification	
Made In	USA	
Lead Time	6-8 weeks	
Inclusions	PET Cooee Desking Screen x 1	
	White C-Clamp Bracket x 2	
Assembly & Delivery	Flat pack delivery, minimal assembly required.	
	See installation instructions for detail.	
Care Instructions	Dab func. with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.	
	For difficult stains, use a solution of household bleach (10% bleach / 90% water).	
	To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.	
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.	



Warranty	5-year warranty.	
Additional Comments	To see how vivid the colors truly are, it's easy to request a sample through the "Request information" button on this page, or you can ask for one from your local sales guru	
How to Specify	1. Select your PET Color 2. Select your size 3. Select your quantity Interlayer standard color is Slate. Optional color choice available.	



Screens » Desking Screens

Colour & Finish Options

func solid colors





Screens » Desking Screens




func timber print



func premium material



Screens » Desking Screens



func premium wood



Screens » Desking Screens

func textile braid



func textile burlap






Screens » Desking Screens



func textile herring











Screens » Desking Screens



func powdercoat



