Screens » Desking Screens



Collections: Inala

Applications: Screens & Partitions



Screens » Desking Screens



Inala Desking Divider Premium Material Raku Jade Detail



Inala Desking Divider Meadow



Inala Desking Divider Detail



Inala Desking Divider Detail 2



Screens » Desking Screens

✓ Acoustic

Inala Desking Divider—a game-changer in your quest for focus and privacy. Available in 2 sizes

✓ Absorbs Noise

| ✓ Easy Clean | ✓ Easy Install |
|--------------|--|
| Description | Inala Desking Divider—a game-changer in your quest for focus and privacy. Available in 2 sizes crafted to perfection and a height designed for maximum effectiveness, it's the ultimate addition to your workspace. |
| | Constructed with not one, but two layers of high quality 1/2" high-quality PET, this divider doesn't just create privacy; it fortifies it. Slide it effortlessly over the edge of your desk and secure it with the non-destructive comfort grip knob for a snug fit that won't leave a mark. |

Whether you're in the zone or simply seeking solitude, the Inala Desking Divider has got your back. With its seamless integration and double-layer defence against distractions, it's a must-have for any bustling workspace.

Bleach Cleanable

So, why settle for a divided attention span when you can have the clarity and focus you deserve? Upgrade to the Inala Desking Divider and take control of your productivity like never before.

Composition

Density 0.5 lb/ft² 2.4 kg /m²

Sustainability

func. PET panels are made from 100% recyclable materials.

- 60% post-consumer recycled PET bottles.
- 35% pre-consumer recycled content from PET chips
- 5% bio-based Polylactic Acid (PLA)
- Accessories: Steel + PET insert/liner with powder coat finish

PET Colours

Refer to Color + Finish

Dimensions

- 23.8" (603mm) w x 23.8" (603.3mm) h x 1" (25mm) D
- 29.8" (756mm) w x 23.8" (603.3mm) h x 1" (25mm) D



Screens » Desking Screens

| Fire Rating | ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification |
|---------------------------|---|
| Made In | USA |
| Lead Time | 4-6 weeks |
| Inclusions | Hardware to suit size selected |
| Assembly & Delivery | Flat pack delivery, minimal assembly required. |
| | See installation instructions for detail. |
| Suggested Installation | Go to Technical Documents and download the Installation Guide for more details. |
| Care Instructions | Dab func. with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth. |
| | For difficult stains, use a solution of household bleach (10% bleach / 90% water). |
| | To remove the bleach, repeat using a clean, water dampened cloth, then pat dry. |
| | Always test in an inconspicuous area first and if you don't see the expected results, contact us. |
| Warranty | 5-year warranty. |
| Additional Comments | To see how vivid the colors truly are, it's easy to request a sample through the "Request information" button on this page, or you can ask for one from your local sales guru |
| How to Specify | Select Size Select PET Color |



Screens » Desking Screens

Colour & Finish Options

func solid colors





Screens » Desking Screens




func timber print




func premium material



Screens » Desking Screens



func premium wood



Screens » Desking Screens

func textile braid



func textile burlap





Screens » Desking Screens




func textile herring






Screens » Desking Screens

































Meadow

Parchment

Pebble

Pewter

Screens » Desking Screens









Sky

Smoke

Sunshine