
Walls » Freestanding Walls




Collections: Cooee Spaces, Cooee





Cooee Spaces Louver Wall - Olive Fern



Cooee Spaces Louver Wall - Brick




Cooee Spaces Louvre - Closed Perspective



Cooee Spaces Louvre - Open Perspective





Cooee Spaces Louvre - Shutter Closed Detail



Cooee Spaces Louvre - Rail Closed Detail



Cooee Spaces Louvre - Rail Open Detail



Cooee Spaces Louvre - Mechanism Closed Detail





Cooee Spaces Louvre - Mechanism Open Detail



Cooee Spaces Louvre - Extrusion Detail



Cooee Spaces Louvre - Full Size Foot Detail



Cooee Spaces Louvre - Inline Foot Detail



Walls » Freestanding Walls

Style, structure, and airflow in one bold move. This full-height acoustic divider keeps zones open yet defined, perfect for letting light in and noise out.

✓ Absorbs Noise	✓ Acoustic	✓ Bleach Cleanable
✓ Easy Clean	✓ Easy Install	
Description	Cooee Spaces Louver Wall introduces a sense of movement to the Cooee Spaces collection. With angled PET blades mounted on a proprietary aluminium frame, the Louver Wall offers visual division without full enclosure—allowing light and air to pass through while still shaping space with intention.	
	Louver Wall is perfect for del off. Whether used as a freest	artial privacy and softened boundaries, the ineating areas without feeling heavy or closed-canding screen or integrated into larger Cooee ptural form and architectural depth to any
	aluminium extrusion as the Wall ensures consistency in	veight core and powder-coated proprietary rest of the 'Cooee Spaces' family, the Louver material and finish. The angled PET blades are olors, offering both textural warmth and sound
	finishes allow for seamless o	nly. Gangable feet and a range of powder coat coordination across the system—creating a ressive, and intuitively functional.
Composition	Density 0.5 lb/ft² 2.4 kg /m135	
PET Colours	Refer Color + Finishes	
Material	60% post-consumer recycle	d PET bottles.
	35% pre-consumer recycled	content from PET chips
	5% bio-based Polylactic Acid	d (PLA)
	Accessories: Steel + PET inse	rt/liner with powder coat finish
Powder Coat	Refer Color + Finishes	



Dimensions	37" (947 mm) w x 78" (1969 mm) h x 3" (75 mm) d	
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification	
Made In	USA	
Lead Time	8 weeks	
Assembly & Delivery	Flat pack delivery, minimal assembly required.	
	See installation instructions for detail.	
Care Instructions	Dab func. with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.	
	For difficult stains, use a solution of household bleach (10% bleach / 90% water).	
	To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.	
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.	
Warranty	5-year warranty. Visit baresque.com.au/warranty for complete details.	
Additional Comments	To see how vivid the colors truly are, it's easy to request a sample through the "Request information" button on this page, or you can ask for one from your local sales guru	
How to Specify	Select 1 x PET Color	
	Select 1 x Powder Coat Finish	
	Refer Product Specification Guide	



Walls » Freestanding Walls

Colour & Finish Options

func solid colors










Walls » Freestanding Walls

bleached

func premium wood



func timber print



func textile braid



Walls » Freestanding Walls



func textile burlap






Walls » Freestanding Walls



func textile herring









Walls » Freestanding Walls



func powdercoat



